

LIS007556673B2

## (12) United States Patent

## Schubert et al.

# (10) Patent No.:

US 7,556,673 B2

(45) **Date of Patent:** 

Jul. 7, 2009

## (54) METHOD FOR THE SEPARATION OF CARBON DIOXIDE USING A POROUS METAL-ORGANIC FRAMEWORK MATERIAL

(75) Inventors: Markus Schubert, Ludwigshafen (DE);

Ulrich Müller, Neustadt (DE);

Christoph Kiener, Weisenheim am Sand

(DE)

(73) Assignee: BASF Aktiengesellschaft,

Ludwigshafen (DE)

(\*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 406 days.

(21) Appl. No.: 11/563,101

(22) Filed: Nov. 24, 2006

#### (65) **Prior Publication Data**

US 2008/0121105 A1 May 29, 2008

(51) **Int. Cl. B01D 53/04** (2006.01)

(52) **U.S. Cl.** ...... 95/139; 423/230

## (56) References Cited

## U.S. PATENT DOCUMENTS

5,648,508	A *	7/1997	Yaghi	556/9
6,491,740	B1*	12/2002	Wang et al	95/90
2005/0124819	A1*	6/2005	Yaghi et al 5:	56/148

### FOREIGN PATENT DOCUMENTS

EP 1 070 538 A2 1/2001

## OTHER PUBLICATIONS

A.R. Millwar and Omar M. Yaghi, "Metal-Organic Frameworks with Exceptionally High Capacity of Storage of Carbon Dioxide at Room Temperature", J.Am.Chem.Soc. 2005, 127, pp. 17998-17999.

B. Arstad et al., "International Symposium on Zeolithes and Microporous Crystals" (ZMPC2006), Jul. 30, 2006 to Aug. 2, 2006, Yonago, Japan.

\* cited by examiner

Primary Examiner—Frank M Lawrence (74) Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt, P.C.

## (57) ABSTRACT

The present invention relates to a method for the separation of carbon dioxide from a gas mixture containing carbon dioxide comprising the steps of

- (a) contacting the gas mixture with at least one sorbent comprising a porous metal-organic framework material, the framework material taking up the carbon dioxide from the gas mixture and comprising at least one at least bidentate organic compound coordinately bound to at least one metal ion, wherein the at least bidentate organic compound comprises at least one substituted or unsubstituted amino group and wherein the at last one metal ion is an ion selected from the group of metals consisting of magnesium, calcium, strontium, barium, aluminium, gallium, indium, scandium, yttrium, titanium, zirconium, iron, copper and lanthanoids; and
- (b) desorbing the carbon dioxide.

20 Claims, 3 Drawing Sheets